

SUPPLEMENT TO

The Gazette



of India

No. 12] NEW DELHI, SATURDAY, MARCH 29, 1958/CHAITRA 8, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 1st March, 1958

CHOLERA				SMALLPOX				PLAGUE				CHOLERA			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Andhra Pradesh								Bombay—contd.							
"N.R."								Baroda	91	19
Assam								Broach	19	5
Kamsup.	1	Kaira	38	10
Sibsagar	12	1	..	Mehsana	11
TOTAL	13	1	..	Panchmahal	2	2
Total for w/e 25-2-58	4	3	Sabarkantha	18	2
Total for w/e 18-2-58	3	1	Sorath	16	4
Bihar								Zalawad	1
Patna	.	.	6	..	19	6	..	Ahmednagar	16	1
Gaya	59	20	..	East Khandesh	166	28
Shahabad	9	3	..	Kolaba	4
Muzaffarpur	5	1	..	Kolhapur	.	.	6	1
Monghyr	67	15	..	Nasik	40	20
Bhagalpur	11	5	..	Poona	26	9
Purnea	95	28	..	Ratnagiri	5	1
Santal Parganas	1	North Satara	70	8
Hazaribagh	13	6	..	Sholapur	98	15
Ranchi	47	13	..	Thana	24	6
Palamau	2	West Khandesh	3
Dhanbad	.	.	3	..	29	4	..	Akola	134	25
TOTAL	9	..	357	101	Amraoti	54	8
Total for w/e 22-2-58	39	11	292	69	Bhandara	19
Total for w/e 15-2-58	35	16	483	105	Buldhana	90	21
Bombay								Chanda	178	6
Greater Bombay	212	41	Nagpur	34	6
Ahemdabad	29	10	Ycetmal	67	50
Amreli	50	10	Nanded	95	25
Bansakantha	41	19	Aurangabad	1
								TOTAL	6	..	1652	352
								Total for w/e 22-2-58	1533	258
								Total for w/e 15-2-58	3	..	890	174

Explanation of Symbols used: C.—Cases; D.—Deaths; ..—Nil. "N. R."—information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 1st March, 1958—*concl'd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.		D.		C.		D.		C.		D.		C.		D.	
Delhi								Mysore							
Delhi City								"N.R."							
New Delhi								Orissa							
TOTAL								Cuttack							
Total for w/e 25-2-58								Balasore							
Total for w/e 18-2-58								Puri							
Himachal Pradesh								Sambalpur							
"N.R."								Ganjam							
Kerala								Koraput							
"N.R."								Mayurbhanj							
Madhya Pradesh								Dhenkanal]							
"N.R."								Sundergarh							
Madras								Kalahandi							
Madras City								Keonjhar							
Chingleput								Bolangir Patna							
South Arcot.								TOTAL							
Tiruchirappalli								Total for w/e 22-2-58							
Tanjore								Total for w/e 25-1-58							
Madurai								Pondicherry							
Ramanathapuram								TOTAL							
Tirunelveli								Total for w/e 25-2-58							
North Arcot								Total for w/e 18-2-58							
Salem								Punjab							
Coimbatore								Rohtek							
Nilgiris								Karnal							
Kanya Kumari								Ambala							
TOTAL								Gurdaspur							
Total for w/e 22-2-58								Patiala							
Total for w/e 15-2-58								TOTAL							
Manipur								Total for w/e 25-2-58							
TOTAL								Total for w/e 18-2-58							
Total for w/e 22-2-58								Rajasthan							
Total for w/e 15-2-58								"N.R."							
Tripura								Tripura							
TOTAL								TOTAL							
Total for w/e 22-2-58								Total for w/e 22-2-58							
Total for w/e 15-2-58								Total for w/e 15-2-58							

Explanation of symbols used :—C.—Cases ; D.—Deaths;

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 1st March, 1958—*contd.*

CHOLERA							CHOLERA							
SMALLPOX							SMALLPOX							
PLAGUE							PLAGUE							
C. D. C. D. C. D.							C. D. C. D. C. D.							
Uttar Pradesh							ARREAR INFORMATION							
Agra	32	9	Tripura							
Allgarh	19	6	For w/e 22-2-58							
Allahabad	7	4	TOTAL	2	1	
Azamgarh	19	5	Mysore							
Ballia	8	2	For w/e 8-2-1958							
Barilly	6	4	Bangalore	33	13	
Budaun	69	19	Chitaldrug	3	3	
Basti	11	Hassan	5	2	
Deoria	8	5	Kolar	18	3	
Farrukhabad	1	1	Mandya	16	2	
Faizabad	6	5	Bellary	34	
Garhwal	8	4	Gulberga	..	5	3	21	5
Ghazipur	14	10	Raichur	..	30	14	14	4
Gorakhpur	5	South Kanara	9	2	
Hardoi	27	18	Mysore	36	11	
Jhansi	10	5	Shimoga	3	
Jalaun	3	1	TOTAL	..	35	17	192	50
Kheri	4	2	For w/e 15-2-1958							
Kanpur	48	17	Bangalore	54	34	
Etah	1	Chitaldrug	15	2	
Lucknow	27	14	Hassan	4	1	
Mainpuri	6	4	Kolar	7	2	4	..	
Moradabad	13	3	Mandya	28	4	
Meerut	3	Mysore	45	23	
Mathura	41	15	Shimoga	2	
Shahjahanpur	7	2	Tumkur	1	
Sitapur	5	2	Bellary	9	
Varanasi	10	Gulberga	35	16	
Etawah	14	6	Raichur	10	8	
Total	431	164	Belgaum	..	19	3	2	
Total for w/e 22-2-58	220	99	Bijepur	..	2	..	3	
Total for w/e 15-2-58	282	80	Dharwar	10	1	
West Bengal							South Kanara	3	2	
"N.R."							Coorg (Mercara)	11	1	
Grand Total for India							TOTAL	..	21	3	239	94
(Excluding Andhra Pradesh, Himachal Pradesh, Kerala, Madhya Pradesh, Mysore, Rajasthan and West Bengal)							For w/e 22-2-1958							
Corresponding	566	293	3,911	914	Bangalore	22	18	
Total for w/e 22-2-58	418	201	3,435	820	Chitaldrug	3	1	
Corresponding	520	260	3,131	713	Hassan	1	2	
Total for w/e 25-2-58	Kolar	5	
Explanation of symbols used :— C. = Cases & D. = Deaths; .. = Nil; "N.R." = Information not received.							Mandya	36	2	
							Mysore	70	23	
							Shimoga	2	2	

Explanation of symbols used :— C. = Cases & D. = Deaths; .. = Nil; "N.R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 1st March, 1958—*contd.*

CHOLERA				SMALLPOX				PLAGUE							
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Mysore—<i>contd.</i>								Punjab							
Bellary	8	3	<i>For w/e 22-2-1958</i>							
Gulberga.	17	7	Hissar	1	1
Raichur	40	17	46	11	Rohrak	18	4
Balgaun	26	9	Karnal	3	1
Bijapur	3	1	Ambala	11	3
Dharwar	4	Hoshiarpur	1
South Kanara	5	Amritsar	2	2
Coorg Mercara	4	1	Gurdaspur	2
TOTAL	69	27	223	70	Patiala	2
Bombay								Kapurthala	2
<i>For w/e 8-2-1958</i>								TOTAL	41	12
Greater Bombay	108	21	Kerala							
Ahmedabad	8	1	<i>For w/e 22-2-1958</i>							
Amreli	3	Trivandrum	9
Banaskantha	32	17	Quilon	11	3
Baroda	42	3	Alleppey	4
Nasrda	4	2	Kottayam	17	5
Broach	14	2	Yrlicheir	29	5
Kaira	20	9	Malabar	69	23
Mehsana	13	1	TOTAL	139	44
Panchmahals	2	Madhya Pradesh							
Sabarkantha	12	7	<i>For w/e 25-1-1958</i>							
Surat	3	Guna	23	3
Keelch	9	2	Indore	23	12
M. Saurashtra	4	4	Dhar	1
Sorath	8	5	Raigarh	97	21
Zalawad	3	Nimar (Khargone)	63	9
Ahemdnagar	16	6	Narringhpur	8	2
East Khandesh	2	2	142	17	Mandsaur	1
Nasik	32	17	Durg	56	4
Poona	13	2	Umaria	48	9
North Satara	14	Sagar	56	12
S. Satara	1	1	Mandla	22
Sholapur	46	13	Damoh	54	7
West Khandesh	10	Balaghat	5
Akola	102	11	Hoshangabad	84	11
Amraoti	41	2	TOTAL	539	92
Buldhana	140	38								
Wardha	23								
Yeotmal	61	18								
Aurangabad	2	2								
Bhir	2								
Parbhani	6								
TOTAL	2	2	930	207								

Explanation of Symbols used:— C. = Cases ; D. = Deaths ; .. = Nil.

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE			
—		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.		
Punjab								Sikar									
For w/s 8-2-1958								Alwar									
Hissar	3	3	Nagaur	8	7
Rohtak	8	1	Sirohi	6
Ambala	5	1	Bhilwara	5
Ludhiana	1	Bikaner	15	1
								Churu									
								Ganganagar									
TOTAL								TOTAL									
		17	5	205	31	

(Information based on patients treated in hospitals
in important towns)

					(Information based on patients treated in hospitals in important towns)				
						Place	Period F/o	Cases	Deaths
Ajmer	I				
Jaipur	61	11	..				
S. Madhopur	35	Punjab	15-2-58	17	(Paretic)
Jhunjhunu	60	9	..	do	28-2-58	17	do
								+9	Non paretic.

Cholera.—Heavy incidence of the disease was reported from South Arcot in Madras State.

Small-pox.—Greater Bombay, Baraskantha Baroda, North Satara, Sholapur, Amraoti, Yeotmal and Nanded in Bombay State. Mayurbhanj in Orrissa State and Budaun in Uttar Pradesh reported heavy incidence of the disease.

Epidemic conditions prevailed in the Districts of Amreli, E. Khandesh, Akola, Buldhana, Chanda in Bombay State; Madras City, Puri, Ganjam and Keonjhar in Orissa State during the week under report.

Explanation of Symbols used :—C.—Cases ; D.—Deaths; .. — Nil.

NEW DELHI-2 (INDIA);
The 24th March, 1958.

H. R. SHARMA,
for Registrar General, India.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st March, 1958

Town	Mid-year Popn.Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Andhra Pradesh				"N.R."											
Assam				"N.R."											
Bihar				"N.R."											
Bombay				"N. R."											
Delhi															
Delhi City . . .	1,372	530	20.1	25	3	34	..	116	4.4	31		
New Delhi . . .	589	150	13.2	3	..	97	8.6	8		
NAC Civil . . .															
Station Delhi . . .	223	90	21.0	..	—	4	..	16	3.7	3		
Delhi Cantt . . .	62	25	21.0	1	0.8	—		
Delhi Shahdara . . .	50	41	42.6	3	..	2	..	12	11.5	5		
TOTAL . . .	2,296	1,800	18.9	28	3	43	..	242	5.5	47		
Kerala				"N.R."											
Madhya Pradesh				"N.R."											
Madras															
Ambur . . .	48	18	30.3	2	2	..	9	9.8	2		
Arruppukottai . . .	62	25	22.9	3	4	1	..	15	12.6	3		
Bodinayakanur†															
Chidambaram . . .	43	16	19.3	2	1	18	21.8	4		
Coimbatore . . .	267	208	40.5	2	2	..	2	16	19	2	103	20.1	16		
Cuddalore . . .	76	32	21.9	3	1	3	1	25	17.1	3		
Dindigul . . .	100	32	16.6	8	5	1	..	28	14.6	1		
Erode . . .	77	87	58.8	1	..	3	1	23	15.5	3		
Gobichettipalayam . . .	48	7	7.6	6	6.5	2		
Gudiyattam . . .	58	41	36.8	..	5	..	2	3	19	..	26	23.3	9		
Kancheepuram . . .	93	34	19.0	..	2	8	17	1	47	26.3	11		
Karalkudi . . .	47	22	24.3	..	1	..	1	3	..	1	14	15.5	..		
Karur . . .	57	26	23.7	2	..	1	..	10	9.0	2		
Kumbakonam . . .	115	69	31.2	4	1	3	..	48	21.7	5		
Madras City . . .	2,011	1,038	26.8	..	46	..	95	61	159	2	623	16.1	157		
Madurai . . .	488	176	18.8	22	11	16	..	148	15.8	33		
Mayuram . . .	53	50	49.1	1	1	..	1	..	18	17.7	5		
Melapalayam . . .	43	11	13.3	1	1	2	..	11	13.3	1		
Nagapattinam . . .	62	42	35.2	6	3	5	..	32	26.8	4		
Nagercoil . . .	109	18	8.6	..	1	..	7	..	1	..	11	5.2	3		
Ootacamund . . .	53	28	27.5	4	..	11	10.8	4		
Palni . . .	44	19	22.5	1	1	2	..	16	18.9	4		
Palayamkottai . . .	48	57	61.8	1	..	4	..	21	22.8	..		
Periyakulam . . .	35	24	35.7	5	2	2	3	..	19	28.2	2		
Pollachi . . .	60	51	44.2	..	2	..	1	6	5	..	32	27.7	7		
Pudukottai . . .	54	35	33.7	2	3	1	..	19	18.3	2		
Rajapalayam . . .	74	33	23.2	4	3	3	..	16	11.2	3		
Salem . . .	279	156	29.1	..	2	..	5	5	11	1	60	11.2	6		
Sriangam†															
Srivikippattur . . .	45	26	30.0	7	4	18	20.8	5		
Tanjore . . .	133	69	27.0	2	3	7	..	55	21.5	6		
Tiruchirappalli . . .	276	144	27.1	4	3	10	..	85	16.0	9		
Tirunelveli† . . .	84	54	33.4	2	3	4	..	36	22.3	5		
Tiruppur . . .	73	42	29.9	1	3	2	..	19	13.5	4		
Tiruvannamala . . .	47	18	19.9	6	1	2	1	..	26	28.8	4		
Tuticorin . . .	121	80	34.4	4	9	..	37	15.9	6		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st March, 1958—*contd.*

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	Deaths from 1—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Madras— <i>contd.</i>														
Vaniyambadi . . .	45	32	37.0	3	3	..	12	13.9	5	
Vellore . . .	141	101	37.2	3	2	..	2	4	18	1	76	28.0	13	
Villupuram . . .	42	20	24.8	1	..	2	..	9	11.1	2	
Virudhunagar . . .	57	53	48.4	2	7	6.4	2	
TOTAL . . .	5,568	3,004	28.1	17	63	..	196	171	332	10	1,789	16.7	353	
Mysore														
Bangalore . . .	1246	595	24.8	..	13	..	11	75	138	..	363	15.1	..	
Mysore . . .	347	136	20.4	..	12	..	52	7	16	..	158	23.7	..	
Kolar Gold Fields . . .	180	71	20.5	..	1	..	9	1	7	..	37	10.7	..	
Bellary . . .	83	30	18.8	..	3	..	3	5	5	..	41	25.7	..	
Davangere† . . .	68	22	16.8	7	1	..	1	12	9.2	..	
Shimoga . . .														
Bhadravati† . . .														
Hospet† . . .														
Tumkur† . . .														
Kolar† . . .														
Chitaldrug . . .	37	6	8.4	7	9.8	..	
Hassan† . . .														
Bidar . . .	43	8	9.7	..	1	..	4	5	6.0	..	
Gulberga . . .	101	16	8.2	5	..	3	1	11	5.7	..	
Raichur . . .	74	1	0.7	7	6	..	1	..	1	..	17	11.9	..	
Belgaum . . .	110	67	31.7	2	3	2	..	26	12.3	..	
Bijapur . . .	82	39	24.7	1	7	4.4	..	
Dharwar . . .	85	43	26.3	1	..	12	7.3	..	
Mangalore . . .	153	26	8.8	2	13	4.4	..	
Nagarkot . . .	39	19	25.3	1	5	..	3	..	11	14.7	..	
Hubli† . . .														
Gadag (Bettigere) . . .	73	89	27.8	13	2	10	..	44	31.3	..	
TOTAL . . .	2,721	1,118	21.4	7	36	..	115	94	186	2	764	14.6	..	
Orissa														
Behrampur . . .	81	55	35.3	..	5	..	3	3	3	..	29	18.6	6	
Cuttack . . .	129	101	40.7	5	8	10	..	50	20.2	7	
Puri . . .	56	7	6.5	..	3	..	5	3	1	1	28	26.0	2	
TOTAL . . .	266	163	31.9	..	8	..	13	14	14	1	107	20.9	15	
Pondicherry . . .	68	51	39.0	2	4	3	1	29	22.2	16	
Punjab														
Ambala . . .	62	44	37.0	1	6	5.0	2	
Amritsar . . .	359	203	29.4	4	25	1	62	9.0	18	
Batala . . .	66	28	22.1	8	..	1	..	17	13.4	8	
Bhiwani . . .	59	46	40.5	4	11	9.7	1	
Ferozepore† . . .														
Hissar . . .	41	22	28.0	4	..	1	..	7	8.9	3	
Hoshiarpur . . .	54	24	23.1	5	1	..	1	14	13.5	1	
Jullundur . . .	230	177	40.0	3	..	12	..	30	6.8	4	
Karnal . . .	83	33	20.7	2	10	6.3	1	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used :— B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile deaths (included in total deaths); .. = Nil information; "N.R." = Information not received.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st March, 1958—*contd.*

Deaths from :—

Town]	Mid.-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Punjab—<i>contd.</i>													
Ludhiana . . .	194	154	41·3	3	1	9	..	34	9·1	9
Moga†						
Panipat . . .	72	48	34·7	5	1	1	..	13	9·4	2
Pathankot . . .	36	31	44·8	19	13·0	1
Rewari . . .	40	19	24·7	1	..	1	..	6	7·8	..
Rohtak†						
Simla . . .	53	26	25·5	—	3	2·9	1
Sonepat†				1	..	4	4·6	1
Shahinda . . .	45	13	15·0	1	..	1	..	4	4·6	1
Malerkotla . . .	35	45	66·9	6	1	8	11·9	..
Patiala . . .	125	114	47·4	4	..	4	..	23	9·6	9
TOTAL . . .	1,554	1,027	34·4	—	47	97	55	3	257	8·6	61
Rajasthan													
Ajmer . . .	244	99	21·1	9	..	14	..	38	8·1	5
Alwar†				..	5	..	6	..	2	..	16	12·8	6
Beawar . . .	65	11	8·8	..	5	..	6	..	2	..	16	12·8	6
Bharatpur†						
Bikaner†						
Churu†						
Ganganagar†						
Jaipur†						
Jodhpur†						
Kotah†						
Sikar†						
Tonk†						
Udaipur . . .	121	4	1·7	..	1	..	1	..	1	..	28	12·0	2
TOTAL . . .	430	114	13·8	..	6	..	16	..	17	..	82	9·9	13
Uttar Pradesh													
Agra . . .	404	375	48·3	1	3	39	..	98	12·6	24
Allahabad . . .	372	160	22·4	2	25	..	61	8·5	15
Amroha . . .	61	60	51·1	6	3	5	1	23	19·6	4
Bahraich . . .	49	21	22·3	1	..	1	..	3	3·2	1
Banaras . . .	416	239	29·0	29	6	14	..	142	17·8	23
Banda†						
Bareilly . . .	206	74	18·7	3	2	14	..	27	6·8	7
Basti†						
Ballia†						
Bijnor†						
Budaun . . .	55	30	28·4	3	1	6	..	16	15·1	6
Bulandshahr†						
Chandausi . . .	44	21	24·8	2	2	3	..	15	17·7	6
Dehra Dun . . .	186	60	16·8	1	1	1	..	10	2·8	..
Etawah . . .	65	50	40·0	10	1	4	..	26	20·8	6
Faizabad-Ayodhya†						
Farukhabad-Fatehgarh	78	49	32·7	..	1	..	6	..	7	..	23	15·3	5
Ferozabad . . .	93	32	17·9	1	..	1	..	9	5·0	1
Gazipur . . .	35	15	17·3	5	..	1	..	9	10·4	1
Ghaziabad . . .	68	31	23·7	4	..	2	..	8	6·1	2
Gonda . . .	35	8	11·8	1	..	4	5·9	1

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile deaths (included in total deaths) ; .. —Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st March, 1958—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Uttar Pradesh—contd.														
Gorakhpur . . .	150	87	30.2	4	3	6	..	23	8.0	4	
Hapur . . .	65	28	32.4	5	6	4.8	2	
Hardwar†														
Hathras . . .	65	48	38.4	..	2	..	15	22	17.6	6	
Jaunpur . . .	59	25	22.0	5	..	4	..	13	11.5	1	
Jhansi . . .	132	9	3.5	29	37	14.6	7	
Kanpur . . .	810	284	18.2	..	3	..	41	26	48	8	316	20.3	82	
Kasganj . . .	34	1	1.5	..	2	..	2	4	6.1	1	
Khurja . . .	41	20	25.4	3	2	4	..	14	17.8	..	
Koil-Aligarh . . .	167	44	13.7	9	2	6	..	19	5.9	7	
Lucknow . . .	525	278	27.5	..	3	..	17	4	29	..	135	13.4	17	
Mathura . . .	118	61	26.9	6	1	15	..	29	12.8	6	
Mau-Nath Bhanjant†														
Meerut . . .	198	115	30.2	11	1	8	..	31	8.1	8	
Mirzapur Vindhyachal	100	39	20.3	6	1	3	..	14	7.3	2	
Moradabad . . .	165	100	31.5	6	1	12	..	35	11.0	4	
Muzaffarnagar . . .	81	42	27.0	5	1	2	..	13	8.3	2	
Pilibhit . . .	47	28	31.0	3	..	1	..	6	6.6	4	
Rampur . . .	181	17	4.9	2	..	1	..	9	2.6	..	
Saharanpur . . .	178	123	36.0	29	..	1	..	39	11.4	9	
Sambhal†														
Sitapur . . .	52	16	16.0	2	..	3	..	7	7.0	1	
Shahjahanpur . . .	112	62	28.8	5	1	6	..	12	5.6	1	
TOTAL . . .	5,447	2,652	25.3	..	11	..	347	64	273	9	1,258	12.0	266	

West Bengal

"N.R."

ARREAR INFORMATION**Rajasthan**

For w/e 11-1-58

Tonk	46	13	14.7	2	1	3	..	7	7.9	..
								w/e 18-1-58									
Do.	.		.	.	do.	8	9.0	2	4	4.5	1
								w/e 25-1-58									
Do.	do.	9	10.2	2	..	2	..	5	5.7	..
								w/e 1-2-58									
Do.		.	.	.	do.	5	5.7
								w/e 8-2-58									
Do.		.	.	.	do.	13	14.7	3	..	4	4.5	..
								w/e 15-2-58									
Do.	do.	11	12.4	..	1	3	..	4	4.5	..
								w/e 22-2-58									
Jaipur	419	106	13.2	33	1	11	..	67	8.3	10
Churu	52	6	6.0	2	..	2	2.0	..
Bharatpur	39	1	1.3	2	2	2.7	1

Kerala

For w/e 8-2-58

Trivandrum	247	252	53.1	9	4	45	9.5	4
Changanacherry	44	32	37.8	3	3.6	2
Kottayam	55	26	24.6	4	1	24	22.7	1
Mattancherry	94	87	48.1	1	1	1	..	18	10.0	1
Ernakulam	77	63	42.6	1	17	11.5	3
Trichur	80	78	50.7	3	17	11.1	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st March, 1958—*contd.*

Deaths from:—

Town	Mid-year Popn. Est (000)	B.	B.R.	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
Kerala—<i>contd.</i>													
Cochin	33	26	41.0	1	..	4	..	15	23.6	2
Palghat	82	20	12.7	1	15	9.5	4
Cannanore	49	30	31.8	2	..	1	..	9	9.6	4
Tellicherry	43	44	53.4	3	1	..	3	29	35.1	3
TOTAL	804	658	42.6	24	8	6	3	192	12.4	24
<i>w/e 15-2-1958</i>													
Trivandrum	247	224	47.2	16	5	48	10.1	2
Quilon	82	5	3.2	1	6	3.8	1
Changanacherry	44	18	21.3	4	4.7	2
Kottajam	55	11	10.4	15	14.2	..
Mattancherry	94	35	19.4	1	7	3.9	2
Ernakulam	77	48	32.4	18	12.2	2
Trichur	80	44	28.6	12	7.8	..
Kozhikode	187	64	17.8	3	2	3	..	73	20.3	7
Palghat	82	42	26.6	4	..	28	17.8	6
Cannanore	49	18	19.1	1	..	2	..	11	11.7	3
Tellicherry	43	38	46.0	1	..	3	..	20	24.2	4
TOTAL	1,040	547	27.4	21	9	12	..	242	12.1	29
Bombay <i>w/e 15-2-1958</i>													
Ahmedabad	970	601	32.2	..	5	..	21	9	85	..	323	17.3	105
Ahmednagar	108	61	29.4	2	..	11	..	37	17.8	5
Amalner	54	23	22.1	9	..	1	..	16	15.4	2
Baroda	266	217	42.4	..	2	..	23	2	32	..	110	21.5	21
Barsi	48	26	28.2	6	..	2	..	23	24.9	1
Bhusawal	73	25	17.8	3	2	..	2	..	16	11.4	1
Broach	68	55	42.1	14	..	10	..	33	25.2	2
Cambay	42	22	27.2	3	1	1	..	21	26.0	2
Challisaon	38	18	24.6	8	..	1	..	13	17.8	5
Dhulia	101	33	17.0	..	1	..	7	1	6	..	24	12.4	5
Godhra	41	34	43.1	..	1	..	12	..	1	..	19	24.1	4
Greater Bombay	4,117	1,350	17.1	..	29	..	3	22	185	1	727	9.2	163
Jalgaon	88	15	8.9	3	..	5	..	16	9.5	3
Kalyan	93	23	12.9	..	1	2	3	..	15	8.4	4
Kolhapur	181	125	35.9	3	..	3	..	31	8.9	2
Malegaon	74	22	15.5	33	1	8	..	42	29.5	4
Miraj	47	19	21.0	2	2	..	23	25.4	3
Nadiad	78	25	16.7	9	..	2	..	25	16.7	4
Nandurbar	38	21	28.7	2	..	1	..	6	8.2	1
Nasik	151	83	28.6	..	17	..	21	2	9	..	80	27.5	15
Navsari	52	34	34.0	7	..	1	..	18	18.0	4
Pandharpur	47	31	34.3	1	4	5	..	18	19.9	4
Patan	49	38	40.3	2	3	..	13	13.8	2
Poona	717	292	21.2	..	1	..	1	3	17	..	119	8.6	19
Sangli	66	15	11.8	1	..	3	..	17	13.4	..
Satara	43	23	27.8	1	..	2	..	11	13.3	4
Sholapur	325	190	30.4	..	4	..	15	..	30	..	110	17.6	21
Surat	270	164	31.6	26	4	21	1	109	21.0	19
Thana	73	22	15.7	1	1	14	10.0	..
Bhavnagar	171	70	21.3	9	1	9	1	34	10.3	11

*In case of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used —B.—Births, B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Feveres; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Death; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); :—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st March, 1958—*contd.*

Deaths from :—

Town	Mid. Year Popn. Est. (000)	Deaths from :—												D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total				
Bombay— <i>contd.</i>															
Dhoraji	49	22	23·3	..	1	..	2	2	7	7·4	..		
Gondal†															
Jamnagar	138	25	9·4	4	2	1	..	27	10·2	7		
Junagarh	66	40	31·5	..	2	..	4	1	..	1	12	9·5	2		
Morir	44	11	13·0	1	..	3	3·5	..		
Porbander	68	16	12·2	..	1	..	8	1	17	13·0	5		
Rajkot	217	93	22·3	..	6	..	21	2	14	..	59	14·1	12		
Veraval	50	9	9·4	..	11	..	3	..	2	1	22	22·9	4		
Surendranagar	52	20	20·0	7	..	1	..	8	8·0	..		
Nagpur	602	222	19·2	..	1	..	48	5	23	3	210	18·1	51		
Achalpur	39	25	33·3	1	..	2	..	11	14·7	3		
Akola	110	76	35·9	8	1	5	..	29	13·7	3		
Amravati	111	129	60·4	13	3	8	10	45	21·1	3		
Chanda	45	24	27·7	9	..	3	..	27	31·2	2		
Gondia	56	19	17·6	8	2	14	13·0	2		
Hinganghat	37	29	40·8	4	11	15·5	4		
Khangaon	47	16	17·7	6	9	10·0	2		
Wardha	51	11	11·2	3	3	3·1	..		
Yeotmal	45	22	37·0	..	1	..	5	..	4	..	17	19·6	..		
Kamptee	40	21	27·3	3	1	1	..	8	10·4	2		
Aurangabad	81	13	8·3	..	2	7	4·5	2		
Lathur	46	9	10·2	..	2	..	3	..	4	..	9	10·2	1		
Nanded	98	19	10·1	..	9	..	2	..	1	..	17	9·0	2		
Parbhani	46	8	9·0	..	12	..	5	..	8	..	30	33·9	..		
Patan	80	2	1·3	..	3	..	1	..	4	..	9	5·9	..		
TOTAL	10,707	4,568	22·2	3	112	..	411	75	543	20	2,674	13·0	543		
Andhra Pradesh															
for w/e 15-2-1958															
Adoni†															
Anakapalli	51	20	24·8	1	2	1	..	20	24·8	3		
Anantpur	42	31	31·6	3	2	3	1	22	22·4	3		
Bhimavaram	41	22	29·2	3	1	..	7	8·9	..		
Chirala	48	18	19·5	..	1	..	6	..	4	..	14	15·2	4		
Chittoor	50	16	16·6	5	1	11	11·4	4		
Cuddapah	46	34	38·4	9	10	11·3	1		
Ellore	108	30	14·4	5	4	1	..	31	14·9	1		
Gudivada	40	17	22·1	3	1	3	1	..	10	13·0	..		
Guntur†															
Guntakal	43	14	16·9	1	7	8·5	2		
Kakinada	123	117	49·5	7	..	1	..	24	10·1	3		
Kurnool	74	60	42·2	2	1	4	..	19	13·4	2		
Masulipatam	95	72	37·4	2	1	1	..	26	14·2	6		
Nandyal	40	9	11·7	1	4	5·2	6		
Nellore	107	82	39·9	10	6	5	5	1	56	27·2	9		
Proddutur†															
Rajahmundry	137	38	14·4	..	2	..	4	..	1	..	19	7·2	5		
Tenali	76	45	30·8	..	1	2	4	..	20	13·7	10		
Vijayavada	253	114	23·4	..	2	..	10	1	3	..	69	14·2	15		
Visakhapatnam	148	65	22·8	..	17	..	4	5	7	..	48	16·9	9		
Vizianagram	81	30	19·3	..	6	..	2	7	5	..	45	28·9	10		
Hyderabad	1,291	802	32·2	22	4	34	..	180	7·3	38		
Warrangal	173	39	11·7	7	1	2	..	21	6·3	..		
Nizamabad	81	11	7·1	..	2	2	..	6	3·9	1		
Kothagudiam †															
Secunderabad	188	108	29·9	2	2	7	1	35	9·7	2		
TOTAL	3,336	1,795	28·0	22	31	..	90	45	87	3	704	11·0	128		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st March, 1958—contd.

Deaths from :—

Town	Mid-year Popn.Est. (000)	B.	B.R.*	Deaths from :—									Total	D.R.*	I.D.
				C	S.	P.	F.	D.D.	R.D.	M.D.					
Bihar				<i>for the w/e 15-2-1958</i>											
Arrah	74	9	6.3	3	..	4	..	8	5.6	..		
Bettiah	40	5	6.5	2	2.6	..		
Bhagalpur	133	30	11.7	..	2	..	2	17	6.6	..		
Bihar	70	24	17.8	..	3	..	8	19	14.1	..		
Chapra†															
Darbhanga†															
Dhanbad†															
Dinapur†															
Gaya	159	11	3.6	10	3	43	14.1	..		
Hazaribagh	42	5	6.2	1	1.2	..		
Jamalpur	48	6	6.5		
Jamshedpur	266	100	19.5	..	1	..	2	17	3.3	3		
Katihar	60	15	..	3	..	2	2	20	17.3	16		
Monghyr†															
Muzaffarpur	92	22	12.4	1	..	1	..	14	7.9	..		
Patna	371	101	14.2	5	3	1	..	38	5.3	..		
Ranchi	157	14	4.6	..	2	..	11	1	..	1	23	7.6	3		
TOTAL	1,512	327	11.2	..	23	..	45	7	8	3	202	6.9	22		
West Bengal				<i>For w/e 25-1-58</i>											
Asansol	96	2	1.1	..	2	4	2.2	..		
Baidyabati†															
Bally	71	7	5.1	..	1	1	..	4	2.9	..		
Bankura	51	13	13.3	2	2.0	..		
Bansberia†															
Basirhat	43	14	16.9	1	..	1	1.2	..		
Baranagar	99	17	9.0	1	2	3	..	20	10.5	3		
Behrampur	69	37	27.9	..	4	..	2	18	13.6	1		
Bhadreswar	44	4	4.7	2	4	4.7	..		
Bhatpara	150	19	6.6	7	..	6	..	40	13.9	12		
Burdwan	85	22	13.5	5	..	9	5.5	..		
Calcutta	2,931	1,321	23.4	10	6	..	25	33	156	1	593	10.6	161		
Champadani	41	3	3.8		
Cooch-Behar †															
Darjeeling	39	5	6.7	2	..	1	..	5	6.7	..		
English Bazar	37	43	60.4	2	..	3	4.2	..		
Garden Reach	131	14	5.6	..	2	..	4	3	1	..	10	4.0	1		
Halisahar	43	2	2.4	1	1.2	1		
Hooghly-Chinsura	63	72	59.4	1	1	1	..	15	12.4	2		
Howrah	477	165	18.0	4	39	..	4	12	50	..	188	20.5	56		
Jalpaiguri	55	11	10.4	3	2.8	..		
Kamarhati	119	38	16.6	1	..	5	2.2	..		
Kanchrapara	104	4	2.0		
Krishnagar	69		
Midnapur	47	11	12.2	1	..	6	6.7	..		
Nabadwip	87	27	16.1	3	3	2	..	12	7.2	2		
Naihati	67	3	2.3	..	1	..	1	..	3	..	6	4.7	1		
North Barrackpore	37	11	15.5	2	2	2.8	..		
Panihati	76	3	2.1	1	1	..	3	2.1	..		
Santipur	55	12	11.3	..	1	1	..	7	6.6	1		
Serampur	92	30	17.0	1	1	..	2	3	2	..	20	11.3	7		
Siliguri	71	27	19.8	1	3	2.2	..		
South Dum Dum	114	1	0.5	..		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Birth; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st March, 1958—*contd.*

Town	Mid-year Popn. Est. (000)	B.	Deaths from:—									Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
West Bengal—contd.														
South Suburban . . .	149	16	5.6	2	3	2	..	11	3.8	1	..
Titagarh . . .	85	16	9.8	9	..	1	..	10	6.1	1	..
Purulia . . .	52	7	7.0	1	..	2	..	3	3.0
Budge Budge . . .	32	10	16.3	1	2	..	6	9.8
Chandernagore . . .	58	36	32.3	..	1	..	1	2	2	..	13	11.7
Kharagpur . . .	79	7	4.6
TOTAL . . .	5,918	2,029	..	17	58	..	68	64	248	1	1030	9.1	250	..
For week 12-58														
Assansol†														
Baldybat†														
Bally . . .	71	4	2.9
Bankura . . .	51	12	12.2	3	3.1
Bansberia†														
Basirhat . . .	43	6	7.3
Baranagar . . .	99	56	29.4	1	2	5	..	19	10.0	4	..
Behrampur . . .	69	34	25.6	..	4	..	2	16	12.1	4	..
Bhadreswar . . .	44	1	1.2	1	..	1	..	2	2.4
Bhatpara . . .	150	21	7.3	..	3	..	16	1	5	2	58	20.1	11	..
Burdwan . . .	85	20	12.2	1	..	11	6.7
Calcutta . . .	2,931	1318	23.4	12	14	..	26	63	161	..	639	11.3	155	..
Champadani . . .	41	19	24.1	2	..	3	3.8
Cooch-Behar†														
Darjeeling . . .	39	24	32.0	2	4	5.3
English Bazar . . .	37	23	32.3	3	8	11.2
Garden Reach . . .	131	15	6.0	4	1	5	1	12	4.8
Halisahar . . .	43	1	1.2	5	6.0
Hooghly-Chinsura . . .	63	98	80.9	3	1	11	9.1	6	..
Howrah . . .	477	183	20.0	3	36	..	2	10	46	..	163	17.8	43	..
Jalpaiguri . . .	55	2	1.9	4	6	5.7
Kamarhati . . .	119	34	14.9	2	1	3	..	12	5.2
Kanchrapara . . .	104	18	9.0
Krishnagar . . .	69
Midnapur . . .	47	35	38.7	4	1	1	..	13	14.4
Nabadwip . . .	87	25	15.0	8	1	1	..	13	7.8
Nalhati . . .	67	2	..	2	..	6	4.7	2	..
North Barrackpore . . .	37	5	7.0	2	..	4	5.6
Panihati . . .	76	4	2.7
Santipur . . .	55	15	14.2	3	2.8	1	..
Serampur . . .	92	25	14.1	2	3	5	1	22	12.4	2	..
Siliguri . . .	71	22	16.1	..	1	1	5	3.7
South Dum Dum . . .	114	3	..	3	1.4
South Suburban . . .	149	63	22.0	1	1	..	1	4	6	..	18	6.3	4	..
Titagarh . . .	85	15	9.2	..	1	..	17	1	3	1	25	15.3	3	..
Purulia . . .	52	7	7.0	1	1	3	3.0
Budge-Budge . . .	32	12	19.5	1	1	..	1	3	1	..	8	13.0	1	..
Chandernagore . . .	58	27	24.2	..	1	1	2	..	22	19.7	4	..
Kharagpur . . .	79	6	4.0
TOTAL . . .	5,822	2,150	19.2	17	62	..	102	94	255	6	1,117	10.0	240	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may, not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 1st March, 1958 relate to 116 towns from the states of Delhi, Madras, Mysore, Orissa, Pondicherry, Punjab, Rajasthan and Uttar Pradesh with a population coverage of 18,350 thousands out of a total population of 46,893 thousands in 319 towns. The number of births and

deaths recorded in these towns were 9,929 and 4,528 registering birth and death rates of 28.1 and 12.8 per thousand of population respectively.

No town recorded a high death rate of 50 or over. The following table gives the registered rates for different States:—

States	Current w/e 1-3-1958		Corresponding w/e last year	
	B.R.	D. R.	B. R.	D.R.
Delhi . . .	18.9	5.5	24.9	8.3
Madras . . .	28.1	16.7	35.0	17.8
Mysore . . .	21.4	14.6	34.5	11.6
Orissa . . .	31.9	20.9	48.9	22.3
Pondicherry . . .	39.0	22.2	69.6	26.8
Punjab . . .	34.4	8.6	37.7	8.0
Rajasthan . . .	13.8	9.9	10.3	10.5
Uttar Pradesh . . .	25.3	12.0	20.8	11.9
India . . .	28.1	12.8	29.1	12.8

NEW DELHI-2 (INDIA) ;
The 24th March, 1958. }

H. R. SHARMA,
for Registrar General, India.